

G9 BULB 300LM 2.7W 4000K DIMMABLE 300 BEAM CLEAR INTEGRAL

ILG9DC014



This Integral LED G9 lamp offers a high lumen output in 4000K. At 3W this smooth dimming capsule lamp is highly efficient compared to the halogen lamps they are designed to replace. Ideal for pendant fittings and accent lighting in domestic, hospitality and retail applications.

Details

Quick Order Code:	745854
Barcode:	5055788260509
Category:	Lamps
Range Name:	G9
Product Type:	G9
Market Segment:	Commercial indoor, Residential indoor
Warranty (Years):	2
CE RoHS:	Yes

Physical Data

Product Length (mm):	49
Product Width (mm):	16
Product Weight (g):	11
Base Term:	G9
Bulb Base:	G9
Construction:	Ceramic + PC
Globe Finish:	Clear
Bulb Fixing:	Pendant, Wall, Desktop
Bulb or Luminaire Shape:	Cylindrical
Placement / Application:	Indoor, General Lighting

Electrical Data

Power (W):	3
Power Consumption (w):	3
Power Factor:	0.4
Wattage equivalent (W):	30
Amperage (mA):	14
Dimming:	Dimmable
Driver IC Manufacturer:	Bright Power Semiconductor



Driver Included:	Yes
Electric Current:	AC
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	320
Luminous efficacy (lm/W):	107
Correlated Colour Temperature (CCT) (K):	4000
Colour Temperature:	4000K - Cool White
Colour Temperature Name:	Cool White
Beam Angle:	300
Colour Rendering Index (CRI):	80
Frequency Range (Hz):	50
Instant on (Less than 1 second):	Yes
LED Type:	SMD
Lifetime (hours):	15000
Switching Cycles:	7500

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
New Energy Rating:	E
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	45



Packaging

Package Weight (g):	15
Package Length (mm):	20
Package Width (mm):	20
Package Depth (mm):	54

Portal.integral-led.com

Qty per euro pallet:

23040

Portal.integral-led.com

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE